

4 f

$$r \in X \in 5-6.$$

$$= "$$

$$. \quad v$$

k^+

$$r \in 1 \in$$

$$. \quad \hat{r} \quad / \quad k^+ \quad \in$$

$$. \quad 1$$

$$r$$

1 $\downarrow$ $\mathcal{H} \vdash \check{\mathbf{u}} \parallel \mathfrak{p} \dashv \check{\mathbf{i}} \downarrow \downarrow \dot{\downarrow} \downarrow^{\mathbf{D}} \downarrow \mathfrak{z} \mathfrak{k} \mathfrak{K}$

$\mathcal{I} \Sigma \quad 45 \quad \acute{\mathbf{r}} \in \parallel \acute{\mathbf{r}} \check{\mathbf{i}} \downarrow \mathcal{J}^{\mathbf{B}} \sim \mathfrak{K}$

2 $\downarrow \quad 10 \quad \acute{\mathbf{r}} \in \parallel \mathfrak{p} \not\vdash \dashv \check{\mathbf{i}} \mathfrak{z} \quad 3 \quad \acute{\mathbf{r}} \in \parallel \mathfrak{p} \quad \downarrow$

$\mathbf{F} \quad , \quad \check{\mathbf{i}} \quad \not\vdash \quad \mathfrak{K}$

3 $\downarrow \quad \acute{\mathbf{r}} \quad \sqcup \quad / \quad \mathfrak{k}^{\dot{\downarrow}} \quad \check{\mathbf{i}} \acute{\mathbf{r}}$

$\sqsupset \equiv \vdash \check{\mathbf{i}} \quad \check{\mathbf{i}} \quad \dot{\downarrow} \not\vdash \check{\mathbf{i}} \quad \check{\mathbf{i}}$

$\downarrow \dot{\check{\mathbf{i}}} \quad \psi \quad \vdash \mathfrak{K}$

4 $\downarrow \quad \downarrow \quad \vdash \downarrow \quad \vdash \downarrow \quad \vdash \check{\mathbf{u}} \quad \mathfrak{k} \equiv \vdash \mathfrak{r}$

$\mathfrak{r} \quad \acute{\mathbf{r}} 2 \in$

$\mathcal{I} \quad / \quad \acute{\mathbf{r}} \quad / \quad \mathfrak{k}^{\dot{\downarrow}} \quad \in$

$\cdot \quad 1-2$

$\mathfrak{r}$

1 $\downarrow \quad / \quad \mathfrak{k}^{\dot{\downarrow}} \quad \check{\mathbf{i}} \quad \not\vdash \acute{\mathbf{r}} \sim$

$\mathcal{H} \quad \check{\mathbf{u}} \quad \sqsupset \in \mathfrak{K}$

2 $\downarrow \quad / \quad \mathfrak{k}^{\dot{\downarrow}} \quad "$

$\sqsupset \quad \mathfrak{K}$

3 $\downarrow \quad \check{\mathbf{A}} \quad / \quad \mathfrak{k}^{\dot{\downarrow}} \quad \mathcal{H} \quad \downarrow \sqsupset \quad \check{\mathbf{u}}$

$\equiv \quad \not\vdash \mathfrak{K}$

4 $\downarrow \quad \downarrow_{\mathfrak{u}} \quad \check{\mathbf{A}} \quad / \quad \mathfrak{k}^{\dot{\downarrow}} \quad \cdot \quad \vdash \quad \cdot$

$\not\vdash \mathfrak{K}$

5 $\downarrow \quad " \quad \acute{\downarrow} \quad \neq \quad \downarrow \mathfrak{b} \quad \not\vdash \mathfrak{r}$

χ

$r \quad \acute{f}1\epsilon$

$\cdot \quad \acute{f} \quad / \quad k^{\dot{+}} \quad \epsilon$

$\cdot \quad 1$

r

1 $\downarrow \quad \backslash Y \quad \cdot \quad r \quad \downarrow \downarrow \quad \mathbb{K}$

2 $\downarrow \quad \tilde{f} \vdash \quad \downarrow \quad \vdash \quad \downarrow \quad \ddot{f} \quad \tilde{f}$

$\downarrow \models \quad \mathbb{K}$

3 $\downarrow \quad \vdash \quad \cdot \quad \neq \quad \ddot{f} \zeta \quad \ddot{f}$

$\downarrow \quad \ddot{f} \quad \ddot{H} \quad L_r \quad \mathbb{K}$

4 $\downarrow \quad \overline{\pi}^{\sim} \quad \zeta \quad D \quad " \quad \epsilon \quad \ddot{f} \quad \ddot{H}_{\cdot}$

$\mathbb{K}$

5 $\downarrow \quad \frac{1}{3} \tilde{f} \quad \ddot{f} \quad , \quad \ddot{f} \ddot{f} \quad \epsilon \quad \ddot{f} \quad \ddot{f} \quad \mathfrak{e}$

$\ddot{f} \quad \mathfrak{e} \quad \ddot{f} \quad \vdash \quad \cdot \quad \mathbb{K}$

6 $\downarrow \quad k^{\dot{+}} \quad \ddot{f} \quad \neq \quad \cdot \quad \mathbb{K}$

7 $\downarrow \quad \tilde{f} \quad , \quad \downarrow \quad \ddot{f} \quad \overline{\pi}^{\sim} \quad \ddot{f}$

$\mathbb{K}$

8 $\downarrow \quad , \quad ' \quad \ddot{f} \quad \ddot{A} \quad \mathbb{K}$

9 $\downarrow \quad \cdot \quad \neq \quad \backslash \supset \epsilon \quad r$

$\circ \quad \mathfrak{k}$

1 $\downarrow \quad \backslash H \quad \vdash \quad \ddot{f} \parallel p \quad \downarrow \ddot{f} \quad \downarrow \quad \downarrow \quad \downarrow \quad \dot{+} \quad \downarrow \quad D \quad \downarrow \quad \cup \quad k$


3 k Ж л Σ 45 ħ ∈ ∥ Γ ¨ Ł ∫ ℬ ~

Ж

$$2 \downarrow \quad 10 \quad \uparrow \quad \in \parallel p \quad \neq \quad \downarrow \quad \ddot{3} \quad 3 \quad \uparrow \quad \in \parallel p \quad X_1$$

У к 5 АМС ǔ АМС Ж

$$3\downarrow \uparrow \leftrightarrow \downarrow \leftrightarrow \downarrow \quad \downarrow \quad \downarrow \bar{k}^{\pm} \quad \downarrow$$
$$+1 \leftrightarrow 3 \text{ K } 1 \text{ Ж}$$
$$4 \downarrow \quad \vdash \ddot{\downarrow} \quad \vdash \quad \downarrow \quad \vdash \times$$
$$\gamma \quad \vdash \downarrow \quad \vdash \ddot{0} \quad \vdash r$$



- 1 $\downarrow$ / k^+ $\hat{w}$ $\ddot{u}$ $\mathbb{X}$
- 2 $\downarrow$ $\tilde{i}$ k^+ φ $\ddot{i}$ $\downarrow$ $\tilde{i}$
/ k^+ Υ $\vdash$ $\ddot{u}$ $\vdash$ $\tilde{i}$ k^+ Υ
 $\vdash$ $\ddot{u}$ $\mathbb{X}$
- 3 $\downarrow$ / k^+ ε $\overline{\pi}$ $\downarrow \varepsilon \mathbb{X}$ $\vdash \downarrow$
 ε $\ddot{i}$ $\ddot{u}$ $\ddot{i}$ ε $\mathbb{X}$
- 4 $\downarrow$ Υ $\ddot{i}$ $\downarrow$ $\downarrow \downarrow$ $\tilde{i}$
/ k^+ ε $\ddot{i}$ $\mathbb{X}$
- 5 $\downarrow$ / k^+ $\downarrow$ $\downarrow$ $\ddot{i}$
 ε $\tilde{i}$ $\ddot{i}$ $\vdash$ $\ddot{u}$ $\mathbb{X}$
- 6 $\downarrow$ ε $\ddot{i}$ $\mathbb{X}$

3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23																																																																													

r
 $\cdot \quad \acute{\text{r}} \quad \text{ł} \quad \text{ů} \quad / \quad \text{k}^{\pm} \quad \in$
 $\cdot \quad 1$
 r
 $1 \text{ ł} \text{ ł}_{\text{w}} \text{ " ' } \quad \text{ł} \quad \ddot{\text{i}} \text{ " ' } \quad \text{ " } \pi$
 $\text{e} \quad \ddot{\text{i}} \quad \text{ę} \ddot{\text{i}} \text{ f } \text{ " ' } \quad \text{k}^{\pm} \quad \pi \quad \equiv \text{ł} \quad \text{k}^{\pm} \text{ "}$
 $\text{e} \quad \quad \quad \dot{\text{z}} \quad \text{ж}$
 $2 \text{ ł} \quad \text{ " ' } \quad \text{†} \quad \text{ f } \ddot{\text{i}} \ddot{\text{i}} \quad \text{ 'Y}$
 $\quad \text{!} \quad \text{ů} \quad \ddot{\text{i}} \text{ů} \quad \text{ f } \text{ " ' } \text{k}^{\pm}$
 $\quad \ddot{\text{i}} \quad \text{e} \quad \quad \quad \text{ж}$
 $3 \text{ ł} \quad \quad \quad \text{ 'Y} \quad \text{ f } \ddot{\text{i}} \quad \text{D ł} \quad \ddot{\text{i}}$
 $\quad \text{ f } \ddot{\text{i}} \quad \text{ f } \quad \ddot{\text{i}} \quad \text{ж}$
 $4 \text{ ł} \quad \quad \quad \text{H} \quad \ddot{\text{i}} \quad \text{ f } \quad \text{ f } \ddot{\text{i}}$
 $\text{H} \text{ " ' } \quad \text{ę} \quad \ddot{\text{i}} \quad \text{ f } \quad \ddot{\text{i}} \quad \ddot{\text{i}} \quad \text{ж}$
 $5 \text{ ł} \quad \text{k}^{\pm} \text{ , } \quad \text{ł} \quad \text{ĩ} \quad \text{e} \quad \ddot{\text{i}}$
 $\quad \quad \quad \ddot{\text{i}} \quad \quad \quad \text{ж}$
 $6 \text{ ł} \quad \text{ " ' } \text{ , } \text{ = } \text{ 'ł} \text{ł} \text{ f } \text{ r}$
 $\text{o} \quad \text{ł}$
 $1 \text{ ł} \text{ 'H} \text{ †} \quad \text{ů} \parallel \text{p} \text{ ı} \ddot{\text{i}} \quad \text{ł} \quad \text{з} \text{ ж} \lambda \Sigma \quad 45 \quad \acute{\text{r}} \quad \in$
 $\parallel \text{r} \ddot{\text{i}} \quad \text{ł} \quad \text{J}^{\text{B}} \quad \sim \quad \text{ж}$

2 ı 10 ġ € ı p ¢ ı ĩ 3 3 ġ € ı p Xı

ı k 5 AMC ů AMC ¢ Ж

3 ı ¢ ĩ ı Ж `Y ıı 10 ε[±] ¢

ı ^BΩ ı

4 ı AMC k ĩ ¢ ů † ĩ

¢ ı

$$r \cdot \dot{r} \approx \epsilon 1.$$

$$\Gamma \in \mathcal{E}^D \neq \emptyset$$

$$r \quad \dot{\Gamma} 1 \in$$

$$\dot{\Gamma} \quad / \quad \in \dot{\Gamma} \quad \in$$

1

r

[illegible]

$$2 \downarrow \quad \downarrow \downarrow \quad \downarrow \quad \ddot{\downarrow} \quad \ddot{\downarrow} \downarrow$$

$$\mathcal{L} \quad \gamma \quad \Theta \quad \mathcal{L} \quad \kappa^D / \quad \varepsilon^D \quad \tilde{\mathcal{I}} \quad \mathcal{L} \quad \mathcal{F} \quad \tilde{\mathcal{I}}$$

ǎ ħ ĩ Ț İ Ț Ж

$$3 \downarrow \quad \quad \quad \neq X_{F_{v_i}} \quad X_{\mathfrak{p}} \quad \quad \quad \neq \quad \downarrow \quad \mathcal{E}^+ \quad \downarrow \quad \mathcal{K}$$

4 1 1 " ' F K 1 1 k 1 D 1 X 1 1

ø ” ÷ ÷ Ж

$$5 \downarrow \quad \downarrow \quad D \quad \varphi \quad Y_{\tau} \quad \mathbb{K}$$

6 4 ε D 1 5 4 r

O t

$\frac{1}{\sqrt{2}} \left(\begin{array}{c} |H\rangle \\ |V\rangle \end{array} + \begin{array}{c} |\bar{H}\rangle \\ |\bar{V}\rangle \end{array} \right)$

$$\lambda \sum_{i=1}^n 40 \quad \Gamma \in \Pi \quad \Gamma \ddot{\Gamma} \quad \mathfrak{L} \quad \int^B \quad \sim \quad \mathbb{K}$$

